

# PROJECT PLANNING SHEET



## KK/KF Linear Axis

### Kundendaten

Company:	Processed by:
Technical consultant:	Date:
Purchasing consultant:	Project name:

### Project plan

Quantity: _____	Period: _____
-----------------	---------------

### System parameters

Axle type:	<input type="checkbox"/> KK (double row)	<input type="checkbox"/> KF (four-row)	<input type="checkbox"/> according to interpretation
Stroke length X [mm]: _____			

### Operating data

Cycles/hour: _____	Hours/day: _____	Days/year: _____
--------------------	------------------	------------------

### Cycle (travel distance, process time, travel speed, acceleration and non-productive times (breaks, gripper times etc.))

Path No.	Travel distance [mm]	Positioning time $t_{pos}$ [s]	$v_{max}$ [m/s]	$a_{max}$ [m/s <sup>2</sup> ]	Break $t_{pause}$ [s]	Description of the operation or non-productive times
1						
2						
3						
4						
5						

### Axis positioning in space

<p>Position in direction of motion</p> <p>Angle A: _____ °</p>	<p>Position transversal to direction of motion</p> <p>Angle B: _____ °</p>	<p>Moving Mass:</p> <p><math>m =</math> _____ [kg]</p> <p>Centre of gravity of the moving mass <math>m</math>:</p> <p><math>x_m =</math> _____ [mm]</p> <p><math>y_m =</math> _____ [mm]</p> <p><math>z_m =</math> _____ [mm]</p> <p>External forces:</p> <p><math>F_x =</math> _____ [N]</p> <p><math>F_y =</math> _____ [N]</p> <p><math>F_z =</math> _____ [N]</p> <p>Force transmission point:</p> <p><math>x_F =</math> _____ [mm]</p> <p><math>y_F =</math> _____ [mm]</p> <p><math>z_F =</math> _____ [mm]</p>
--	--	---

# PROJECT PLANNING SHEET



## KK/KF Linear Axis

Options		
Feature	Standard	Option
Slide length:	<input type="checkbox"/> A	<input type="checkbox"/> S <sup>1)</sup>
Second slide:	<input type="checkbox"/> No	<input type="checkbox"/> Yes, light expanse <sup>1)</sup> : _____ mm <div style="text-align: right;"> </div>
Cover:	<input type="checkbox"/> Without	<input type="checkbox"/> C (Aluminium cover) <input type="checkbox"/> B (Bellows) <sup>1)</sup>
Limit switch <sup>2)</sup> :	<input type="checkbox"/> Without	<input type="checkbox"/> S0 <input type="checkbox"/> SA (1 Stk.) <input type="checkbox"/> SB (2 Stk.) <input type="checkbox"/> SC (3 Stk.)
Flange type <sup>3)</sup> :	<input type="checkbox"/> F0	<input type="checkbox"/> F1 <input type="checkbox"/> F2 <input type="checkbox"/> F3 <input type="checkbox"/> F4 <input type="checkbox"/> F5 <input type="checkbox"/> F6 <input type="checkbox"/> F7 <input type="checkbox"/> F8 <input type="checkbox"/> F10 <input type="checkbox"/> H0 <input type="checkbox"/> H1

<sup>1)</sup> Only for KK60, KK86

<sup>2)</sup> Limit switches are NC contacts, not available for KK30

<sup>3)</sup> For details, see order code in the „Precision axes“ catalogue

Accessories	
<input type="checkbox"/> HIWIN servo motor	Brake <input type="checkbox"/> With motor brake <input type="checkbox"/> Without motor brake Encoder <input type="checkbox"/> 23 bit absolute singleturn <input type="checkbox"/> 23 bit absolute multiturn
<input type="checkbox"/> HIWIN drive	Interface <input type="checkbox"/> EtherCAT CoE <input type="checkbox"/> PROFINET <input type="checkbox"/> Step-direction/+-10V <input type="checkbox"/> _____
<input type="checkbox"/> Motor cable	<input type="checkbox"/> 3m <input type="checkbox"/> 5m <input type="checkbox"/> 10m <input type="checkbox"/> _____
<input type="checkbox"/> Encoder cable	<input type="checkbox"/> 3m <input type="checkbox"/> 5m <input type="checkbox"/> 10m <input type="checkbox"/> _____
<input type="checkbox"/> Extension cable for limit switch	<input type="checkbox"/> 3m <input type="checkbox"/> 5m <input type="checkbox"/> 7m <input type="checkbox"/> 10m <input type="checkbox"/> 15m
<input type="checkbox"/> Further cables	<input type="checkbox"/> USB parameterisation cable <input type="checkbox"/> E/A-cable <input type="checkbox"/> STO-cable, 3m
<input type="checkbox"/> Mains filter	

# PROJECT PLANNING SHEET

KK/KF Linear Axis



**Application** (Sector, machine, application, ambient conditions, sketch)

A large, empty rectangular box with a thin black border, intended for providing application details, sketches, or technical specifications.